


ROTARY HAMMERS

DH 22PBS
22mm Rotary Hammer



Features

- 2-mode action: Rotation & Hammering mode and Rotation only mode
- SDS Plus shank
- Variable speed trigger
- Drilling / Hammer Drilling



Specifications		
Capacity	Concrete	22mm
	Mild Steel	13mm
	Wood	25mm
Power Input	620W	
No load RPM	0-1100/min	
Full Load Impact rate	4400/min	
Overall Length	385mm	
Weight	2.8kg	


MRP: ₹ 14,000/-

DH 24PG2
24mm Rotary Hammer



Features

- 2-mode action: Rotation and Hammering mode and Rotation only mode
- Compact design
- Labyrinth Ventilation windows



Specifications		
Capacity	Concrete	24mm
	Mild Steel	13mm
	Wood	32mm
	Core Bit	50mm
Power Input	730W	
Bit Shank	SDS-plus	
No Load Speed	0-1,050/min	
Full Load Impact rate	0-3,950/min	
Overall Length	349mm	
Weight	2.8kg	
Standard Accessories	Side Handle, Depth Gauge, Carrying Case	


MRP: ₹ 15,450/-

DH 26PB2
26mm Rotary Hammer



Features

- 2-mode action: Rotation and Hammering mode and Rotation only mode
- Highest drilling speed
- Labyrinth ventilation windows



Specifications		
Capacity	Concrete	26mm
	Mild Steel	13mm
	Wood	32mm
	Core Bit	50mm
Power Input	830W	
Bit Shank	SDS-plus	
No Load Speed	0-1,100/min	
Full Load Impact rate	0-4,300/min	
Overall Length	349mm	
Weight	2.8kg	
Standard Accessories	Side Handle, Depth Gauge, Carrying Case	

MRP: ₹ 16,160/-




DH 26PC2
26mm Rotary Hammer



Features

- 3-mode action: Rotation and Hammering mode, Rotation only mode and Hammering mode only.
- Labyrinth ventilation windows
- Compact body



Specifications		
Capacity	Concrete	26mm
	Mild Steel	13mm
	Wood	32mm
	Core bit	25-50mm
Power Input	830W	
Bit Shank	SDS-plus	
No-Load Speed	0-1,100min	
Full Load Impact rate	0-4,300min	
Overall Length	349mm	
Weight	2.8kg	
Standard Accessories	Side Handle, Depth Gauge, Carrying Case	


MRP: ₹ 17,950/-

DH 28PBY2
28mm Rotary Hammer



Features

- 2-mode action: Rotation and Hammering mode and Rotation only mode.
- Lowest vibration in its class through UVP system using dynamic damper
- Labyrinth ventilation windows
- Large mode change lever



Specifications		
Capacity	Concrete	28mm
	Mild Steel	13mm
	Wood	32mm
	Core Bit	50mm
Power Input	850W	
Bit Shank	SDS-plus	
No Load Speed	0-1,100/min	
Full Load Impact rate	0-4,300/min	
Overall Length	360mm	
Weight	3.0kg	
Standard Accessories	Side Handle, Depth Gauge, Carrying Case	

MRP: ₹ 17,280/-

DH 28PCY2
28mm Rotary Hammer



Features

- 3-mode action Rotation and Hammering mode, Rotation only mode and Hammering mode only.
- Lowest vibration in its class through UVP system using dynamic damper
- One push bit mounting



Specifications		
Capacity	Concrete	28mm
	Mild Steel	13mm
	Wood	32mm
	Core Bit	50mm
Power Input	850W	
Bit Shank	SDS-plus	
No Load Speed	0-1,100/min	
Full Load Impact rate	0-4,300/min	
Overall Length	360mm	
Weight	3.0kg	
Standard Accessories	Side Handle, Depth Gauge, Carrying Case	

MRP: ₹ 20,080/-



Double Insulation



Variable Speed



Reversible



Slip Clutch



SDS-plus Shank



Rotation only



Rotation & Hammering

ROTARY HAMMERS

DH 40MC
40mm Rotary Hammer



999043

Features

- Large change lever
- Multiple bit angle setting.



Specifications		
Capacity	Drill Bit	40mm
	Core Bit	105mm
Power Input	1,100W	
Bit Shank	SDS max	
No Load Speed	620/min	
Full Load Impact rate	2,800/min	
Overall Length	448mm	
Weight	7.1kg	
Standard Accessories	Side Handle, Stopper, Hammer Grease A (30g), Carrying Case	

MRP: ₹ 43,430/-

DH 45MA
45mm Rotary Hammer



999044

Features

- Powerful 1,400W motor delivers the power needed for heavy-duty applications
- Large change lever for easy and smooth mode switching
- Easy to hold large trigger switch



Specifications		
Capacity	Drill bit	45mm
	Core bit	125mm
Power Input	1,400W	
Bit Shank	SDS max	
No Load Speed	380/min	
Full Load Impact rate	2,900/min	
Overall Length	535mm	
Weight	9.4kg	
Standard Accessories	Side Handle, Stopper, Rotary Hammer Grease A, Carrying Case	

MRP: ₹ 60,080/-

DH 45ME
45mm Rotary Hammer



Features

- Maintains the speed and performance even at voltage drop
- Power lamp lights up when the plug is inserted into an outlet
- Large mode change lever
- Large trigger switch



Specifications		
Capacity	Drill bit	45mm
	Core bit	125mm
Power Input	1,500W	
Bit Shank	SDS max	
No Load Speed	220V: 120 - 310/min	
Full Load Impact rate	220V: 1,200 - 2,950/min	
Overall Length	535mm	
Weight	9.0kg	
Standard Accessories	Side Handle, Stopper, Rotary Hammer Grease A, Carrying Case	

MRP: ₹ 72,450/-

DH 52MA
52mm Rotary Hammer



Features

- Powerful 1,500W motor delivers the power needed for heavy-duty applications
- Large change lever for easy and smooth mode switching
- Easy to hold large trigger switch



Specifications

Capacity	Drill bit	52mm
	Core bit	160mm
Power Input	1,500W	
Bit Shank	SDS max	
No Load Speed	330/min	
Full Load Impact rate	2,250/min	
Overall Length	585mm	
Weight	11.8kg	
Standard Accessories	Side Handle, Stopper, Rotary Hammer Grease A, Carrying Case	

MRP: ₹ 74,658/-



Double Insulation



Electronic Constant Speed Control



Slip Clutch



Shock-Absorbing Handle Type



SDS max Shank



2-speed Gear



Cordless

Chargers/
Batteries

Drilling

Demolition

Fastening

Grinding

Polishing &
Sanding

Sawing

Cutting

Planing &
Routing

Miscellaneous
Pneumatic

E - Tech Line

Accessories