

CORDLESS DRIVER DRILLS

DB 3DL2
3.6V Cordless Driver Drill

Li-ion



Can be converted from L shape to straight shape.

Features

- Convertible to use in angled or straight
- Spindle lock mechanism
- Adjustable clutch: 21-stage torque
- Equipped with battery protection circuit
- With LED light



Specifications		
Drive	6.35mm Hex Bit Shank	
Capacity	Mid Steel	5mm
	Wood Screw (D x L)	3.8 x 38mm
	Machine Screw	5mm
Battery Voltage	3.6V	
No Load Speed	High	600/min
	Low	200/min
Torqure Setting	0.3 - 2.9Nm	
Overall Length	Straight	268mm
	Angled	210mm
Weight	0.45kg	
Standard Accessories*	2 Batteries (EBM315), Charger (UC3SFL), Driver Bit, Carrying Case	

*Standard accessories may vary by country or area

MRP: ₹ 8,760/-

DB 3DA
3.6V Cordless Driver Drill

Li-ion



Can be converted from L shape to straight shape.

Features

- Engineered with Auto- Stop Clutch
- Auto Shut-Off for Smart Battery Protection
- Customizable Control: 21 Clutch Settings
- Power & Portability in the palm of your hands

Specifications	
Voltage	3.6V
Battery Capacity (Ah)	2.0Ah
Max Torque (Nm)	5.0Nm
No-Load Speed (min-1)	High: 600 min-1
	Low: 200 min-1
Clutch Settings	21
Capacity (mm)	Machine Screw: M5
	Drilling Steel: 5mm
	Drilling Wood: 6mm
Performance (%)	M5 Machine Screw: 100%
	Amount of work / battery: 150%
Function	Auto-Stop Clutch
	Auto Shut off
	One-touch Bit Installation
	LED Light / LED
Overall length (mm)	Straight shape: 268mm
	Pistol Shape: 210mm
Weight (with battery)	0.45kg
Included Accessories	Blow Case

*Standard accessories may vary by country or area

MRP: ₹ 15,660/-

DB 10DL
10.8V Cordless Driver Drill

Li-ion



Features

- Adjustable clutch: 21-stage torque
- Soft grip handle
- Compact & light weight



Specifications		
Drive	6.35mm Hex Bit Shank	
Capacity	Soft wood	18mm
	Wood Screw (D x L)	6mm x 38mm
	Machine Screw	6mm
Battery Voltage	10.8V	
No Load Speed	0-400/min	
Maximum Torque in lock	10Nm	
Torque Setting and Clutch	1.0-6.0Nm	
Overall Length	147mm	
Weight	0.8kg	
Standard Accessories*	Battery (BCL1015 / BCL1030C), Charger (UC10SL2), Driver Bit, Carrying Case	

*Standard accessories may vary by country or area

MRP: ₹ 15,660/-

DS 12DA

10.8-12V Peak Cordless
Driver Drill

12V PEAK
Li-ion

Features

- 20-stage Clutch
- LED light
- Compact & light weight
- Keyless chuck



MRP: ₹ 20,000/-

Specifications		
Drill Chuck	0.8-10mm Keyless	
Capacity	Mild Steel	10mm
	Soft Wood	29mm
	Wood Screw	5.8mm
	Machine Screw	6mm
Battery Voltage	10.8-12V Peak	
No Load Speed	High	0-1,400/min
	Low	0-350/min
Max Torque Hard	38Nm	
Max Torque Soft	15Nm	
Torque Setting	0.6 -4.0Nm	
Overall Length	166mm	
Weight	1.1kg with BSL1225M/BSL1215	
	1.2kg with BSL1240M	
Standard Accessories*	2 Batteries (BSL1225M), Charger (UC12SL), Battery Cover, Carrying Case	



*Standard accessories may vary by country or area

DS 18DA

18V Cordless Driver Drill

Li-ion

Features

- Compact and lightweight
- High capacity battery with battery level indicator
- 20 Stage clutch
- 2 Speed gear

Specifications		
Drill Chuck	2.0-13mm Keyless	
Capacity	Mild Steel	13mm
	Soft Wood	36mm
	Wood Screw (D X L)	6 x 75mm
	Machine Screw	6mm
Battery Voltage	18V	
No Load Speed	High	0-1,400/min
	Low	0-350/min
Max Torque Hard	50Nm	
Max Torque Soft	18Nm	
Overall Length	173mm	
Weight	Kg	1.3kg (BSL1820M),
		1.9kg (BSL36B18)
Standard Accessories*	2 Batteries (BSL1820M), Charger (UC18YKSL / UC18YSL3), Driver Bit, Battery Cover, Carrying Case	

*Standard accessories may vary by country or area

MRP: ₹ 17,500/-



Brake



Variable Speed



Reversible



2-speed Gear

Cordless

Chargers/
Batteries

Drilling

Demolition

Fastening

Grinding

Polishing &
Sanding

Sawing

Cutting

Planing &
Routing

Miscellaneous
Pneumatic

E - Tech Line

Accessories

DS 18DE
18V Cordless Driver Drill



Features

- 155 mm compact head
- Easy to Use in Tight Spaces
- Drills Fast and Easy
- Reactive Force Control

Specifications		
Drill Chuck	1.5 - 13mm Keyless	
Capacity	Brick	13mm
	Mild Steel	13mm
	Soft Wood	52mm
	Wood Screw (DxL)	10x100mm
	Machine Screw	6mm
Battery Voltage	18V	
No Load Speed	High	0-2000/min
	Low	0-550/min
Max Torque	High	70Nm
	Soft	40Nm
Overall Length	155mm	
Weight	1.7kg (with BSL1840M) 1.9kg (with BSL1850MA / BSL36A18) 2.2kg (with BSL36B18)	
Standard Accessories*	2 Batteries (BSL1840M / BSL1850MA / BSL36A18), Charger (UC18YFSL / UC18YSL3), Driver Bit, Hook, Battery Cover, Carrying Case	

MRP: ₹ 14,620/-
(Bare Tool)-

*Standard accessories may vary by country or area



WH 7DL
7.2V Cordless
Impact Driver

Can be converted from
L shape to straight shape.



Features

- Convertible to use in angled or straight
- Automatic spindle lock mechanism for manual tightening



Specifications		
Capacity	Bolt	3-8mm
	High Tension Bolt	3-6mm
	Small Screw	3-8mm
Drive	6.35mm Hex Bit Shank	
Tightening Torque	25Nm	
Battery Voltage	7.2V	
No Load Speed	0-2,400/min	
Full Load Impact Rate	0-3,000/min	
Overall Length	Straight	282mm
	L shape	211mm
Weight	0.59kg	
Standard Accessories*	Batteries (BCL715), Charger (UC7SL), Battery Cover, Carrying Case	

MRP: ₹ 16,140/-

*Standard accessories may vary by country or area

DS 12DA

10.8-12V Peak Cordless Driver Drill

**12V PEAK
Li-ion****Features**

- 20-stage Clutch
- LED light
- Compact & light weight
- Keyless chuck

MRP: ₹ 20,000/-

Specifications		
Drill Chuck	0.8-10mm Keyless	
Capacity	Mild Steel	10mm
	Soft Wood	29mm
	Wood Screw	5.8mm
	Machine Screw	6mm
Battery Voltage	10.8-12V Peak	
No Load Speed	High	0-1,400/min
	Low	0-350/min
Max Torque Hard	38Nm	
Max Torque Soft	15Nm	
Torque Setting	0.6 -4.0Nm	
Overall Length	166mm	
Weight	1.1kg with BSL1225M/BSL1215	
	1.2kg with BSL1240M	
Standard Accessories*	2 Batteries (BSL1225M), Charger (UC12SL), Battery Cover, Carrying Case	



*Standard accessories may vary by country or area

WH 12DA

10.8-12V Peak Cordless Impact Driver

**12V PEAK
Li-ion****Features**

- Slim handle with soft grip
- LED light
- Compact & light weight

MRP: ₹ 10,000/- (Bare Tool)

Specifications		
Capacity	Bolt	5-12mm
	High Tension Bolt	5-10mm
	Small Screw	4-8mm
Drive	6.35mm Hex Bit Shank	
Tightening Torque	110Nm	
Battery Voltage	10.8-12V Peak	
No Load Speed	0-2,700/min	
Full Load Impact Rate	0-3,200/min	
Overall Length	150mm	
Weight	1.1kg (with BSL1225M / BSL1215) - 1.2kg (with BSL1240M)	
Standard Accessories*	2 Batteries (BSL1220M / BSL1225M), Charger (UC12SL), Driver Bit, Carrying Case	



*Standard accessories may vary by country or area

WH 12DD

10.8-12V Peak Cordless Impact Driver

**12V PEAK
Li-ion****BRUSHLESS****Features**

- 134mm compact head
- 3 tightening modes (soft/power/self-drilling screw)
- LED Light

MRP: ₹ 22,000/-

Specifications		
Capacity	Bolt	5-14mm
	High Tension Bolt	5-12mm
	Small Screw	4-8mm
	Self drilling Screw	3.5-5mm
Drive	6.35mm Hex Bit Shank	
Tightening Torque	135Nm	
Battery Voltage	10.8-12V Peak	
No Load Speed	Power Mode	0-3,200/min
	Soft Mode	0-1,300/min
	Self Drilling Screw Mode	0-3,200/min
Impact Rate	Power Mode	0-4,000/min
	Soft Mode	0-2,500/min
	Self Drilling Screw Mode	0-4,000/min
Overall Length	134mm	
Weight	1.1kg	
Standard Accessories*	2 Batteries (BSL1240M), Charger (UC12SL), Battery Cover, Carrying Case	



*Standard accessories may vary by country or area



Brake



Variable Speed



Reversible

IMPACT DRIVER DRILLS

WH 18DA
18V Cordless Impact Driver

Li-ion

Features

- Compact and lightweight
- High capacity battery with battery level indicator
- LED light
- Easy to use in tight spaces



MRP: ₹ 22,000/-

Specifications		
Capacity	Machine Screw	4 - 8mm
	Bolt	M5 - M14
	High Tension Bolt	M5 - M12
Tightening Torque	140Nm	
Battery Voltage	18V	
No Load Speed	0 - 2,700/min	
Impact Rate	0 - 3,600/min	
Overall Length	150mm	
Weight	1.3kg (with BSL1820M)- 1.9kg (with BSL36B18)	
Standard Accessories*	2 Batteries (BSL1820M), Charger (UC18YSL3 / UC18YKSL), Battery Cover, Carrying Case	

*Standard accessories may vary by country or area

WH 18DC
18V Cordless Impact Driver

BRUSHLESS
Li-ion IP56
TRIPLE HAMMER

Features

- Bright 3 LEDs working light
- Powerful brushless motor delivers fast tightening speed.
- 5 Tightening modes with Triple Hammer
- IP56 dust & water resistance



MRP: ₹ 42,500/-

Specifications		
Capacity	Small Screw	4 - 10mm
	Ordinary Bolt	5 - 18mm
	High Strength Bolt	5 - 14mm
	Self Drilling Screw	Ø3.5 - Ø6mm
Drive	6.35mm	
Max. Torque	210Nm	
Battery Voltage	18V	
No Load Speed	Soft Mode	0 - 900/min
	Power Mode	0 - 3,400/min
	Bolt Mode	0 - 2,900/min
	Bolt Single Mode	0 - 2,900/min
	Self Drilling Screw Mode	0 - 3,700/min
Weight	1.6kg (BSL36A18), 1.9kg (BSL36B18)	
Standard Accessories*	2 Batteries (BSL36A18), Charger (UC18YSL3), Battery Cover, Hook, Carrying Case	

*Standard accessories may vary by country or area

WH 18DE
18V Cordless Impact Driver

Li-ion
BRUSHLESS

Features

- Compact, simple and easy to use
- Stays running at low speeds and are suitable for delicate work
- Highly responsive trigger switch



MRP: ₹ 18,400/- (Bare Tool)

Specifications		
Capacity	Small Screw	4 - 8mm
	Ordinary Bolt	5 - 16mm
	High Strength Bolt	5 - 12mm
Drive	6.35mm	
Tightening Torque	175Nm	
Battery Voltage	18V	
No Load Speed	0 - 3,100/min	
Impact Rate	0 - 3,400/min	
Overall Length	120mm	
Weight	1.5kg (BSL1840M) 1.6kg (BSL1850MA) 1.9kg (BSL36B18)	
Standard Accessories*	Batteries (BSL1840M), Charger (UC18YSL3), Hook, Battery Cover, Carrying Case	

*Standard accessories may vary by country or area

CORDLESS DRIVER DRILL

Cordless
Chargers/ Batteries
Drilling
Demolition
Fastening
Grinding
Polishing & Sanding
Sawing
Cutting
Planing & Routing
Miscellaneous Pneumatic
E - Tech Line
Accessories



DS18DE



DS12DF



DV12DE

BRUSHED DRILL
DV12DE / DS18DE

BRUSHLESS DRILL
DS12DF

- ✓ Woodworking
- ✓ Masonry
- ✓ Metal
- ✓ Fastening



Specifications

Model		DS12DE	DS12DF	DV12DE
Type		DRIVER DRILL	DRIVER DRILL	IMPACT DRILL
Drilling	Brick	-	-	 (Use for drilling purpose)
	Wood	 (Use for drilling purpose)		
	Steel			
	Aluminum			
Screw Tightening	Small Screw Wood Screw	1 - 19 (Use the bit or socket matching the screw drive)	1 -  (Use after drilling a pilot hole)	
Motor		BRUSHED		BRUSHED
Capacity	Drilling	Brick/Concrete Block (Depth 30mm)	-	ø10mm
		Soft Wood (Thickness 38mm)	ø20mm	ø25mm
		Metal (Thickness 1.6mm)	Steel: 10mm	
	Driving	Wood Screw	ø5.8mm x 45mm (L), (Requires a pilot hole)	
		Small Screw	ø6mm	
Drill Chuck Capacity		Maximum Gripping ø 0.8 - 10mm		
Standed Accessories		2 x BCL1220:Li-ion 12V (2.0Ah), 1 x Charger - UC12SFL, Plastic case.		
No-load speed (rpm)		Low: 0-350 High: 0-1,300	Low: 0-500 High: 0-1,600	Low: 0-350 High: 0-1,300
Impact drilling / Max. Ø mm		-	-	Masonry: 10 Concrete Block: 10
Power Tool Weight		0.8kg	0.74kg	0.85kg
MRP:		7,699/-	9,199/-	7,999/-

CORDLESS DRIVER
DRILL

DS 18DG
18V

Li-ion
BRUSHLESS



Features

- **Brushless Motor Technology** - Enhances efficiency and extends tool life by reducing friction and heat.
- **High Torque Output** - Delivers max torque of 60Nm and 27Nm (hard/soft), ideal for heavy-duty work.
- **Versatile Applications** - Supports various attachments such as drill bits and impact bits for multiple uses.
- **2-Speed Gearbox** - Offers both low-speed high-torque and high-speed modes, increasing functionality and work efficiency.
- **Soft Grip Design** - Ergonomically designed grip for comfortable use during extended periods.
- **Built-in LED** - light improves visibility in dark or confined workspaces.

Specifications	
Motor	Brushless
Max Drilling Capacity	13mm
Torque (Soft/Hard)	60 / 27 Nm
No-load Speed (rpm)	1st Gear: 0-450 / 2nd Gear: 0-1,900
Impact Rate	1st Gear: 0-7,200 / 2nd Gear: 0-30,400
Torque Settings	23 + 2
Weight (kg)	Approx. 1.3
Max Screw Diameter (mm)	Wood: 38 / Metal: 13
Packaging	Box

MRP: ₹ 12,899/-

Cordless
Chargers/ Batteries
Drilling
Demolition
Fastening
Grinding
Polishing & Sanding
Sawing
Cutting
Planing & Routing
Miscellaneous Pneumatic
E - Tech Line
Accessories