


The background is a grayscale abstract composition. The upper half features a series of closely spaced, vertical, slightly wavy lines that create a textured, ribbed appearance. The lower half is dominated by a large, sweeping arc composed of many thin, concentric, curved lines that fan out from the bottom left towards the right, resembling a stylized fan or a cross-section of a dome. The text is overlaid on the left side, spanning across both the vertical and curved line sections.

Laying tiles and natural stones

kerakoll

Superflex

Highly deformable organic mineral adhesive
for installation of any covering on any substrate

- Ideal for non-absorbent surfaces & drywall partitions
- Ideal for fixing engineered stones
- Excellent whiteness and minimal odour

R2 T
EN12004

Type 5 T S2
IS 15477:2019



Pack Size:
4 kg

White



For more info, refer technical datasheet.

kerakoll

H40 Gel

Multipurpose flexible Gel-Adhesive for fixing tiles
& stones of all types and formats

→ Ideal for large format tiles, premium Italian marbles,
and natural stones

→ Unique Gel Technology; thixotropic & fluid mix

GEL[®]
TECHNOLOGY



C2 TE S1

EN12004

Type 4 TS1

IS 15477:2019

Pack Size:

20 kg

White

Grey



For more info, refer technical datasheet.

kerakoll

Bioflex S1

High-performance deformable adhesive for bonding large-format tiles and natural stones

- High deformability & adjustable
- Ideal for civil, commercial and industrial projects

C2 TE S1 EN12004	Type 3 TS1 IS 15477:2019
----------------------------	------------------------------------

Pack Size:
25 kg

White	Grey
-------	------

For more info, refer technical datasheet.



kerakoll

Bioflex

High-performance adhesive used for fixing
large-format tiles and natural stones

→ Ideal for exposed conditions - balconies, terraces, external facades

→ Ideal for installation in waterbodies - swimming pools & fountains

C2 TE

EN12004

Type 3 T

IS 15477:2019

Pack Size:

20 kg / 30 kg

White

Grey



For more info, refer technical datasheet.

kerakoll

Biofix

Mineral adhesive for fixing ceramic tiles,
vitrified tiles, and stones on the floor & wall

→ Open time ≥ 30 min.

→ Adjustability time ≥ 40 min.

C2 TE

EN12004

Type 2 T

IS 15477:2019

Pack Size:

20 kg / 30 kg

White

Grey



For more info, refer technical datasheet.

kerakoll

Biotile

Adhesive for fixing tiles
in indoor and outdoor areas

→ Open time ≥ 20 min.

→ Adjustment time ≥ 10 min.

C1T

EN12004

Type 1T

IS 15477:2019

Pack Size:
20 kg / 30 kg

Grey



For more info, refer technical datasheet.

kerakoll

Biotack

Mineral slurry adhesive for fixing tiles
and stones using wet-on-wet technique

- Easy to use
- Ensured adhesion
- Maximum workability
- Does not shrink
- Open time ≥ 30 min.

Pack Size:
25 kg

White

Grey



For more info, refer technical datasheet.

kerakoll

Biocem

Mineral binder for screeds to fix vitrified tiles and natural stones using wet-on-wet technique using Biotack and as a dry screed for underlay application.

- Compensated shrinkage
- Prolonged workability
- Rapid drying and no curing

Pack Size:
25 kg



For more info, refer technical datasheet.